## **IN THE CLAIMS**:

Please amend claims 1, 6, and 11 as follows:

1. (CURRENTLY AMENDED) A method of emulating machine tool behavior for a programmable logic controller logical verification system for manufacturing a motor vehicle, said method comprising the steps of:

constructing a mechanical model using a computer;

generating transformational arrays for the mechanical model using the computer;
viewing motion of the mechanical model in a motion viewer based on the
transformational arrays using the computer;

determining whether the motion of the mechanical model is acceptable;

replicating the motion of the mechanical model by generating a PLC code for the motion of the mechanical model <u>using the computer</u> if the motion of the mechanical model was acceptable; and

using the accepted motion of the mechanical model to compare the behavior of the PLC code relative to the accepted motion by playing the PLC code with a PLC emulator.

- 2. (ORIGINAL) A method as set forth in claim 1 wherein said step of constructing comprises using a mechanical tool design system to construct the mechanical model.
- 3. (ORIGINAL) A method as set forth in claim 2 including the step of constructing an electromechanical model.

- 4. (ORIGINAL) A method as set forth in claim 3 wherein said step of constructing the mechanical model includes binding the electromechanical model to the mechanical model.
- 5. (ORIGINAL) A method as set forth in claim 4 wherein said step of constructing the electromechanical model comprises using a PLC logical verification system to construct the electromechanical model.
- 6. (CURRENTLY AMENDED) A method as set forth in claim 1 including the wherein said step of generating transformational arrays comprises generating the transformational arrays based on computer aided design (CAD) geometries of the mechanical model.
- 7. (ORIGINAL) A method as set forth in claim 6 including the step of exporting the mechanical model to a control system design system.
- 8. (ORIGINAL) A method as set forth in claim 7 including the step of constructing a motion file based on the mechanical model and transformational arrays.
- 9. (ORIGINAL) A method as set forth in claim 8 wherein said step of displaying further comprises playing the motion file by a motion player.

- 10. (ORIGINAL) A method as set forth in claim 8 including the step of returning to the mechanical tool design system if the motion of the mechanical model is not acceptable.
- 11. (CURRENTY AMENDED) A method of emulating machine tool behavior for a programmable logic controller logical verification system for manufacturing a motor vehicle, said method comprising the steps of:

constructing a mechanical model using a computer;

generating CAD transformational arrays for motion in the mechanical model <u>using</u> the computer;

constructing a motion file based on the mechanical model and the CAD transformational arrays using the computer;

viewing the motion of the motion file in a motion viewer <u>using the computer</u>; determining whether the motion of the mechanical model is acceptable;

replicating the motion of the mechanical model with motion commands in a PLC code using the computer if the motion of the mechanical model was acceptable; and

using the accepted motion of the mechanical model to compare the behavior of the PLC code to the accepted motion by playing the PLC code with a PLC emulator.

- 12. (ORIGINAL) A method as set forth in claim 11 wherein said step of constructing comprises using a mechanical tool design system to construct the mechanical model.
- 13. (ORIGINAL) A method as set forth in claim 12 including the step of constructing an electromechanical model.

- 14. (ORIGINAL) A method as set forth in claim 13 wherein said step of constructing the mechanical model includes binding the electromechanical model to the mechanical model.
- 15. (ORIGINAL) A method as set forth in claim 14 wherein said step of constructing the electromechanical model comprises using a control system design system to construct the electromechanical model.
- 16. (ORIGINAL) A method as set forth in claim 11 wherein said step of generating comprises generating CAD transformational arrays based on computer aided design (CAD) geometries of the mechanical model.
- 17. (PREVIOUSLY PRESENTED) A method as set forth in claim 11 including the step of exporting the mechanical model to the PLC emulator.
- 18. (ORIGINAL) A method as set forth in claim 11 wherein said step of displaying further comprises playing the motion file by a motion player.
- 19. (ORIGINAL) A method as set forth in claim 11 including the step of returning to the mechanical tool design system if the motion of the mechanical model is not acceptable.